

STAINLESS STEEL CHAINS AND ACCESSORIES

CHAINS

Stainless Steel, in various grades, is used wherever anti-corrosion properties are important. From specialised food processing and chemical plant applications to more general use in the engineering, water supply and marine industries, stainless steel gives essential increased reliability and durability with minimum maintenance.




∅ 1.5-10mm

Welded Straight Link



∅ 5-16mm

Tested and Certified Short Link Chain (to DIN 766)



∅ 2-10mm









Welded Long Link (to DIN 5685C)



















∅ 1.5-4mm

Twisted Link Chain

ACCESSORIES

							
Ess Hooks	Quick Links	Welded Rings	Carbine Hooks	Asymmetric Carbine Hooks	Dee Shackles	Strip Shackles	Bow Shackles

								
Swivels	Snap Shackles	Lacing Eyes	Boat Snaps	Eyeplates	Ring on Plate	Eyebolts DIN 580	Eyenuts DIN 582	Simplex / Duplex Grips

						
Straining Screws	Rigging Screws	Commercial Eyebolts	Ringbolts	Mooring Springs	Wire Rope Thimbles and Grips	Wire Rope

Stainless Steel Straight Link Chains

AISI 316 & 304 welded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
455 01	1.5 x 14	1.5	14 x 5	0.04	12
455 10	2 x 14	2	14 x 5	0.07	30
455 16	2.5 x 17	2	17 x 6	0.12	50
455 23	3 x 19	3	19 x 7	0.18	80
455 32	4 x 20	4	20 x 8	0.30	130
455 42	5 x 21	5	21 x 11	0.50	170
455 50	6 x 24	6	24 x 11	0.68	265
455 72	8 x 32	8	32 x 16	1.25	460
455 80	10 x 40	10	40 x 20	2.00	660

Supplied: *bulk in hanks*

*Maximum load figures quoted are for guidance only.

These chains are test loaded, but not certified and should never be used for any overhead lifting, load binding or towing applications.

Stainless Steel Long Link – DIN 5685C

AISI 316 & 304 welded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
455 12	2 x 22	2	22 x 4	0.06	25
455 26	3 x 26	3	26 x 6	0.15	80
455 36	4 x 32	4	32 x 8	0.27	120
455 46	5 x 35	5	35 x 10	0.43	160
455 56	6 x 42	6	42 x 12	0.63	250
455 76	8 x 52	8	52 x 8	1.10	460
455 82	10 x 66	10	66 x 10	1.75	650

Supplied: *bulk in hanks*

*Maximum load figures quoted are for guidance only.

These chains are not tested.

Stainless Steel

Stainless Steel Short Link – DIN 766

AISI 316 & 304 welded, tested & certified



Product Code	Size (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	W.L.L. (kg)	Breaking Load (kg)
475 05	5	18.5 x 7	0.5	250	1000
475 06	6	18.5 x 8	0.8	350	1400
475 07	7	22 x 9	1.1	450	1800
475 08	8	24 x 10	1.4	630	2500
475 10	10	30 x 15	2.3	1000	4000
475 12	12	36 x 16	3.2	1300	5200
475 14	14	42 x 18	4.4	1900	7600

Supplied: *bulk by the metre*

Stainless Steel Twisted Link Chains

AISI 316 & 304 welded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
465 15	1.5 x 6	1.5	6 x 2	0.05	10
465 22	2 x 6	2	6 x 3	0.10	25
465 25	2.5 x 9	2.5	9 x 4	0.14	45
465 32	3 x 12	3	12 x 5	0.19	80
465 42	4 x 15	4	15 x 5	0.33	120

Supplied: *bulk in hanks*

*Maximum load figures quoted are for guidance only.
These chains are not tested.

Ess Hooks AISI 304

Product Code	Size (mm)	Length (mm)
577 01	2	24
577 02	2.5	32
577 03	3	34
577 04	4	40
577 05	5	48
577 06	6	62
577 07	7	70



Carbine Hooks with Eye AISI 316

Product Code	Wire (mm)	Length (mm)
565 34	4	40
565 35	5	50
565 36	6	60
565 37	7	70
565 38	8	80
565 39	9	90
565 40	10	100
565 41	11	120
565 42	12	140
565 44	14	180



Quick Links AISI 316

Product Code	Size (mm)	Inside Dims. (mm)
655 03	3.5	29 x 10
655 04	4	32 x 12
655 05	5	39 x 13
655 06	6	45 x 14
655 07	7	52 x 16
655 08	8	58 x 18
655 10	10	69 x 22
655 12	12	81 x 24
655 14	14	93 x 27
655 16	16	109 x 30



Carbine Hooks + Screwnut AISI 316

Product Code	Wire (mm)	Length (mm)
565 64	4	40
565 65	5	50
565 66	6	60
565 67	7	70
565 68	8	80
565 69	9	90
565 70	10	100
565 71	11	120
565 72	12	140
565 74	14	180



Welded Rings AISI 316

Product Code	Wire Size (mm)	Inside Ø (mm)
665 13	3	20
665 14	4	25
665 15	5	30
665 16	6	35
665 18	8	45
665 20	10	50
665 22	12	50



Asymmetric Carbine Hooks AISI 316

Product Code	Wire (mm)	Length (mm)
MAR055 18	8	80
MAR055 20	10	100



Carbine Hooks AISI 316

Product Code	Size (mm)	Length (mm)
565 04	4	40
565 05	5	50
565 06	6	60
565 07	7	70
565 08	8	80
565 09	9	90
565 10	10	100
565 11	11	120
565 12	12	140
565 14	14	180



Asymmetric Carbine Hooks + Eye AISI 316

Product Code	Wire (mm)	Length (mm)
MAR055 08	8	80
MAR055 10	10	100
MAR055 11	11	120



Dee Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Length x Width (mm)
685 04	4	16 x 8
685 05	5	19 x 10
685 06	6	25 x 13
685 08	8	30 x 16
685 10	10	38 x 19
685 12	12	44 x 23
685 14	14	47 x 25
685 16	16	53 x 29



Bow Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Length x Width (mm)
675 04	4	16 x 14
675 05	5	19 x 15
675 06	6	28 x 18
675 08	8	30 x 24
675 10	10	38 x 30
675 12	12	42 x 35
675 14	14	56 x 44
675 16	16	65 x 48



Long Dee Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Length x Width (mm)
MAR015 44	4	30 x 8
MAR015 45	5	37 x 10
MAR015 46	6	45 x 12
MAR015 48	8	60 x 16
MAR015 50	10	70 x 20
MAR015 52	12	84 x 24



Swivels (jaw/jaw) AISI 316

Product Code	Size (mm)	Length (mm)
MAR025 46	6	66
MAR025 48	8	94
MAR025 50	10	118
MAR025 53	13	152
MAR025 56	16	188



Strip Shackles AISI 316

Product Code	Pin Size (mm)	Inside Length x Width (mm)
MAR015 24	4	17 x 10
MAR015 25	5	20 x 12
MAR015 26	6	40 x 14
MAR015 28	8	44 x 18



Swivels (eye/eye) AISI 316

Product Code	Size (mm)	Length (mm)
MAR025 04	4.5	60
MAR025 06	6	65
MAR025 08	8	90
MAR025 10	10	115
MAR025 13	13	154
MAR025 16	16	188



Twisted Dee Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Dims. Length x Width (mm)
MAR015 05	5	17 x 10
MAR015 06	6	21 x 12
MAR015 08	8	32 x 16
MAR015 10	10	35 x 20
MAR015 12	12	42 x 24



Swivels (eye/jaw) AISI 316

Product Code	Size (mm)	Length (mm)
MAR025 26	6	66
MAR025 28	8	94
MAR025 30	10	118
MAR025 33	13	152
MAR025 36	16	188



Straining Screws Hook/Hook AISI 316

Product Code	Size	Body Length (mm)	Inside Hook (mm)
695 64	M4	55	9
695 65	M5	70	9
695 66	M6	90	10
695 68	M8	120	11
695 70	M10	150	12
695 72	M12	200	14
695 76	M16	250	16



Rigging Screws Fork/Fork AISI 316

Product Code	Size	Pin (mm)	Body Length (mm)	Jaw Width (mm)
MAR065 05	M5	5	80	8
MAR065 06	M6	5	92	8
MAR065 08	M8	6	110	10
MAR065 10	M10	8	115	11
MAR065 12	M12	12	150	14
MAR065 14	M14	12	160	14
MAR065 16	M16	14	190	18



Straining Screws Hook/Eye AISI 316

Product Code	Size	Body Length (mm)	Ø (mm) Eye Hook	
695 34	M4	55	4	9
695 35	M5	70	5	9
695 36	M6	90	6	10
695 38	M8	120	8	11
695 40	M10	150	9	12
695 42	M12	200	12	14
695 46	M16	250	16	16



Snap Shackles – Fixed Eye AISI 316

Product Code	Size (mm)	Overall Length (mm)
MAR035 30	9	52
MAR035 32	12	66
MAR035 36	16	96



Snap Shackles – Swivel Eye AISI 316

Product Code	Size (mm)	Overall Length (mm)
MAR035 52	12	70
MAR035 56	16	87
MAR035 62	22	128



Straining Screws Eye/Eye AISI 316

Product Code	Size	Body Length (mm)	Eye Ø (mm)
695 04	M4	55	4
695 05	M5	70	5
695 06	M6	90	6
695 08	M8	120	8
695 10	M10	150	9
695 12	M12	200	12
695 16	M16	250	16



Forged Lacing Eyes AISI 316

Product Code	Size (mm)	Overall Height (mm)	Overall Length (mm)
MAR105 04	4	16	40
MAR105 05	5	16	51
MAR105 06	6	22	57
MAR105 08	8	25	63



Boat Snaps – Fixed Eye AISI 316

Product Code	Size (mm)	Eye Ø (mm)	Overall Length (mm)
MAR035 03	4	10	53
MAR035 05	4.5	16	73
MAR035 07	5	19	81
MAR035 09	7.5	19	97



Commercial Eyebolts + nut & washer AISI 316

Product Code	Size (mm)	Length Under Eye (mm)	Eye Ø (mm)
MAR085 06	6	40	12
MAR085 16	6	60	12
MAR085 18	8	80	14
MAR085 28	8	100	14
MAR085 30	10	100	16
MAR085 32	12	120	18



Boat Snaps – Swivel Eye AISI 316

Product Code	Size (mm)	Eye Ø (mm)	Overall Length (mm)
MAR035 23	5	18	85
MAR035 25	6	21	100
MAR035 27	7	21	120



Ringbolts with Nut AISI 316

Product Code	Size (mm)	Bolt Length (mm)	Eye Ø (mm)
MAR045 06	6	75	35
MAR045 08	8	75	45
MAR045 10	10	100	50
MAR045 12	12	120	60



Eyeplates AISI 316

Product Code	Size (mm)	Plate (mm)	Inside Eye (mm)
MAR095 05	5	30 x 35	12
MAR095 06	6	35 x 40	17
MAR095 08	8	40 x 50	22



Eyebolts (DIN 580) AISI 316

Product Code	Size	Inside Ø (mm)
705 06	M6	16
705 08	M8	20
705 10	M10	25
705 12	M12	30
705 16	M16	35
705 20	M20	40
705 24	M24	50



Ring on Plate AISI 316

Product Code	Size (mm)	Plate (mm)	Ring Ø (mm)
515 48	5	37 x 59	35
515 50	6	40 x 64	35
515 52	8	50 x 80	45



Eyenuits (DIN 582) AISI 316

Product Code	Size	Inside Ø (mm)
715 06	M6	16
715 08	M8	20
715 10	M10	25
715 12	M12	30
715 16	M16	35
715 20	M20	40
715 24	M24	50




Simplex Grips AISI 316

Product Code	Size (mm)	Length x Width (mm)
725 72	2	15 x 12
725 73	3	17 x 14
725 74	4	20 x 18
725 75	5	25 x 20
725 76	6	30 x 24
725 78	8	37 x 30



Wire Rope AISI 316

Product Code	Size Ø (mm)
895 64	1.5
895 65	2
895 66	2.5
895 67	3
895 68	4
895 69	5




(1 x 19)

Duplex Grips AISI 316

Product Code	Size (mm)	Length x Width (mm)
725 82	2	30 x 12
725 83	3	35 x 14
725 84	4	40 x 18
725 85	5	50 x 20
725 86	6	60 x 24
725 88	8	75 x 30



Product Code	Size Ø (mm)
895 50	1.5
895 51	2
895 52	2.5
895 53	3
895 55	4
895 57	5
895 59	6
895 61	8




(7 x 7)

Wire Rope Grips AISI 316

Product Code	Size (mm)	Length x Width x Thickness (mm)
725 03	3	21 x 21 x 10
725 05	5	24 x 22 x 11
725 06	6	28 x 24 x 12
725 08	8	35 x 30 x 14
725 10	10	42 x 34 x 18
725 12	12	56 x 40 x 23
725 14	14	58 x 44 x 24
725 16	16	63 x 50 x 26




Product Code	Size Ø (mm)
895 81	1.5
895 82	2
895 83	2.5
895 85	3
895 87	4
895 89	5
895 91	6
895 93	8



(7 x 19)

Product Code	Size Ø (mm)
895 42	4-6mm
895 43	6-8mm



(White PVC Coated 1 x 19)

Wire Rope Thimbles AISI 316

Product Code	Size (mm)	Length x Width x Thickness (mm)
735 03	3	24 x 16 x 5
735 04	4	28 x 19 x 6
735 05	5	35 x 22 x 7
735 06	6	40 x 27 x 9
735 08	8	49 x 31 x 12
735 10	10	55 x 34 x 14
735 12	12	66 x 42 x 16
735 14	14	78 x 48 x 19
735 16	16	90 x 55 x 21



Mooring Springs AISI 302

Product Code	Wire Ø (mm)	Length (mm)
MAR13 08	5	340
MAR13 10	6	360
MAR13 12	7	360
MAR13 14	10	520

