

SMALL CHAINS AND FITTINGS

CHAINS

Small Chains and Decorative Chains are used in a wide variety of industrial, commercial and domestic applications. Our range includes all the most popular chains – welded and unwelded – made either from solid brass or steel.

A choice of electroplated finishes such as chrome, nickel, zinc and bronze gives the most suitable protective and decorative appearance for each chain.

SMALL CHAINS



Curb Chain

Ø 1.2 - 2.2mm



Ball Chain

Ø 2.4 - 4.5mm



Chandelier Chain

13 - 24mm link length



Plumbers Chain

17 - 24mm link length



Oval Chain Welded

Ø 1.6 - 3.0mm



Single Link Jack Chain

Ø 1.6 - 4.0mm



Double Link Jack Chain

Ø 1.6 - 4.0mm



Knotted Chain

Ø 1.6 - 5.0mm

DECORATIVE CHAINS



Clock Chain

Ø 1.1 - 1.6mm



Twisted Chain

Ø 1.6mm



Double Oval Chain

Ø 1.6 - 1.8mm



Mattress Chain

Ø 1.6mm




Open-Joint Oval Chain

Ø 2.8 - 3.8mm



Gothic Chain

Ø 2.2 - 3.8mm



Standard Electro Chain

Ø 2.5 - 3.8mm




Square Chain

Ø 2.0 - 4.0mm

FITTINGS

Specially designed fittings are usually needed for fixing, joining or lengthening sections of chain or for making chain assemblies to standard specifications. We can supply these components as separate items or make complete assemblies to your design. For more detailed information on our specialist assembly service, please see our "Assemblies" section.



**Ball Chain
End Fittings**



**Ball Chain
Connectors**



**Split (Key)
Rings**



Rings



Dee Rings



Ess Hooks



**Consumer
Hooks**



**Spring
Hooks**



**Jump Rings
Triangles**

Ball Chains

Brass		
Product Code	Size	Ball Ø (mm)
101 24	No.3	2.4
101 32	No.6	3.2
101 40	No.8	4.0
101 45	No.10	4.5

Finishes: polished; chrome; nickel plated
Supplied: 10m boxes & reels; bulk on reels

Steel		
Product Code	Size	Ball Ø (mm)
103 24	No.3	2.4
103 32	No.6	3.2
103 45	No.10	4.5

Finish: nickel plated
Supplied: 10m boxes & reels; bulk on reels

Stainless Steel		
Product Code	Size	Ball Ø (mm)
107 24	No.3	2.4
107 32	No.6	3.2
107 45	No.10	4.5

Finish: polished
Supplied: 10m boxes & reels; bulk on reels



Ball Chain Fittings

◆ CONNECTORS

Brass	
Product Code	Size
121 03	No.3
121 66	No.6
121 88	No.8
121 99	No.10

Finishes: polished; nickel plated
Supplied: 100 per box; bulk in 1000s

Steel & Stainless Steel		
Product Code	Product Code	Size
Steel	Stainless	
123 03	127 03	No.3
123 66	127 66	No.6
123 99	127 99	No.10

Finishes: steel - nickel plated,
 stainless - polished
Supplied: 100 per box; bulk in 1000s



◆ END ATTACHMENTS

Brass	
Product Code	Size
111 03	No.3
111 66	No.6
111 88	No.8
111 99	No.10


Finishes: polished; nickel plated
Supplied: 100 per box; bulk in 1000s



Key Chains

Steel		
Product Code	Length	
	(mm)	(ins)
063 62	100	4
063 64	150	6

Finishes: nickel plated
Supplied: 100 per box; bulk in 1000s



◆ CUP ATTACHMENTS

Brass & Stainless Steel		
Product Code	Product Code	Size
Brass	Stainless	
131 66	135 66	No.6
131 99	-	No.8/10

Finishes: brass - polished; nickel plated
 stainless - polished
Supplied: 100 per box; bulk in 1000s



I/D Chains

Brass & Steel			
Product Code	Product Code	Length	
Brass	Steel	(mm)	(ins)
061 42	063 42	690	27
061 44	063 44	760	30
061 46	063 46	915	36

Finishes: brass - chrome
 steel - nickel plated
Supplied: 100 per box; bulk in 1000s



◆ SLEEVES

Brass	
Product Code	Size
131 03	No.3
131 06	No.6

Finishes: polished; nickel plated
Supplied: 100 per box; bulk in 1000s



Oval Link Chain - Brass

Brazen		
Product Code	Link Length x Material (mm)	Imperial
331 08	8 x 1.4	5/16" x 17g
331 10	10 x 1.6	3/8" x 16g
331 13	13 x 1.8	1/2" x 15g
331 16	16 x 2.3	5/8" x 13g
331 19	19 x 2.5	3/4" x 12g
331 25	25 x 3.0	1" x 11g

Finishes: polished; chrome

Supplied: 10m hanks; 10m boxes & reels



Chandelier Chain

Brass		
Product Code	Size	Link Length x Material (mm)
151 13	109	13 x 0.35
151 16	127	16 x 0.45
151 19	128	19 x 0.50
151 22	136	22 x 0.75
151 25	165	25 x 0.95

Finishes: polished; chrome

Supplied: 10m hanks; 10m boxes & reels



Oval Link Chain - Steel

Welded		
Product Code	Link Length x Material (mm)	Imperial
333 13	13 x 1.8	1/2" x 15g
333 16	16 x 2.3	5/8" x 13g
333 19	19 x 2.5	3/4" x 12g
333 25	25 x 3.0	1" x 11g

Finishes: polished; zinc; black

Supplied: 10m hanks



Plumbers Chain

Brass		
Product Code	Size	Link Length x Material (mm)
151 94	194	17 x 0.70
151 96	196	24 x 1.20

Finishes: polished; chrome

Supplied: 10m hanks; 10m boxes & reels



Oval Link Chain - Stainless Steel

Welded		
Product Code	Link Length x Material (mm)	Imperial
335 12	13 x 1.6	1/2" x 16g
335 15	16 x 2.0	5/8" x 14g
335 18	19 x 2.3	3/4" x 13g
335 25	25 x 3.0	1" x 11g

Finish: polished

Supplied: 10m hanks



Clock Chain

Brass	
Product Code	Link Length x Material (mm)
161 13	13 x 1.6

Finishes: polished; chrome

Supplied: 10m hanks

Stainless Steel	
Product Code	Link Length x Material (mm)
165 19	19 x 2.0

Finish: polished

Supplied: 10m hanks



Small Chains & Accessories



Trace Chain

Gilding Metal, Soldered		
Product Code	Size	Material x Links/inch
162 37	22/15	0.022 x 15
162 39	28/12	0.028 x 12
162 41	32/9	0.032 x 9
162 43	40/8	0.040 x 8
162 45	45/6	0.045 x 6

Finish: *polished*
Supplied: 25m hanks



Curb Chain

Steel - Unwelded		
Product Code	Size	Material x Links/inch
163 25	35/10	0.035 x 10
163 27	48/8	0.048 x 8
163 29	55/5	0.055 x 5
163 31	75/5	0.075 x 5
163 33	90/3	0.090 x 3

Finish: *nickel*
Supplied: 25m hanks



Jack Chain

Steel - Single Link		
Product Code	Wire Ø (mm)	Link Length (mm)
303 16	1.6	20
303 20	2.0	22
303 25	2.5	25
303 30	3.0	33
303 40	4.0	40

Finishes: *polished; black; zinc*
Supplied: 10m hanks; 10m boxes



Knotted Chain

Steel		
Product Code	Wire Ø (mm)	Link Length (mm)
323 16	1.6	27
323 18	1.8	28
323 20	2.0	32
323 25	2.5	39
323 30	3.0	48
323 40	4.0	57
323 50	5.0	70

Finishes: *polished; zinc*
Supplied: 10m or 30m hanks; 10m boxes



Brass - Single Link		
Product Code	Wire Ø (mm)	Link Length (mm)
301 16	1.6	19
301 20	2.0	21
301 25	2.5	25

Finish: *polished*
Supplied: 10m hanks; 10m boxes

Steel - Double Link		
Product Code	Wire Ø (mm)	Link Length (mm)
303 50	1.6	17
303 53	2.0	19
303 55	2.5	25
303 57	3.0	30

Finishes: *polished; black; zinc*
Supplied: 10m hanks; 10m boxes



Twisted Chain

Steel		
Product Code	Wire Ø (mm)	Link Length (mm)
183 62	1.6	25

Finish: *zinc*
Supplied: 10m hanks



Small Chains & Accessories



Mattress Chain

Steel		
Product Code	Wire Ø (mm)	Link Length (mm)
183 52	1.6	24

Finish: zinc
Supplied: 10m hanks



Gothic Chain

Steel		
Product Code	Wire Ø (mm)	Inside Link (mm)
183 12	2.2	24 x 10
183 14	2.7	40 x 14
183 16	3.8	43 x 20

Finishes: e/brassed & lacquered
e/bronzed & lacquered
Supplied: 10m hanks



Double Oval

Steel		
Product Code	Wire Ø (mm)	Link Length (mm)
183 42	1.6	25

Finish: zinc
Supplied: 10m hanks



Square Chains

Steel		
Product Code	Wire Ø (mm)	Inside Link (mm)
183 22	2.0	17 x 5
183 24	3.0	29 x 9
183 26	4.0	29 x 9

Finishes: e/brassed & lacquered
e/bronzed & lacquered
Supplied: 10m hanks



Open Joint Oval

Steel		
Product Code	Wire Ø (mm)	Inside Link (mm)
183 02	2.8	24 x 10
183 04	3.2	40 x 14
183 06	3.8	43 x 20

Finishes: e/brassed & lacquered
e/bronzed & lacquered
Supplied: 10m hanks



Standard Electro

Steel		
Product Code	Wire Ø (mm)	Inside Link (mm)
183 32	2.5	29 x 10
183 34	2.8	35 x 10
183 36	3.8	39 x 12

Finishes: e/brassed & lacquered
e/bronzed & lacquered
Supplied: 10m hanks



Solid Brass Link - Welded

Brass - Welded		
Product Code	Wire Ø (mm)	Inside Link (mm)
451 42	5.0	21 x 9

Finish: polished
Supplied: per metre



Small Chains & Accessories



Consumer Hooks - Brass & Steel

Product Code	Product Code	Length x Material
Brass	Steel	(mm)
261 19	263 19	19 x 2
261 22	263 22	22 x 2
261 25	263 25	25 x 2.5
261 32	263 32	32 x 3
261 38	263 38	38 x 3
261 50	263 50	50 x 4



Finishes: brass - polished; nickel; chrome
steel - polished; zinc

Supplied: 100 per box; bulk in 1000s

Split (Key) Rings - Steel

Product Code	Outer Ø (mm)	Thickness (mm)
403 13	13.0	1.7
403 16	16.0	2.3
403 20	20.0	2.6
403 22	22.0	2.9
403 25	25.0	3.2
403 30	30.0	3.7
403 38	38.0	3.7
403 51	51.0	4.3



Finish: nickel

Supplied: 100 per box; bulk in 1000s

Ess Hooks - Brass & Steel

Product Code	Product Code	Length x Material
Brass	Steel	(mm)
271 19	273 19	19 x 2
271 22	273 22	22 x 2
271 25	273 25	25 x 2.5
271 32	273 32	32 x 3
271 38	273 38	38 x 3
271 50	273 50	50 x 4



Finishes: brass - polished; nickel; chrome
steel - polished; zinc

Supplied: 100 per box; bulk in 1000s

Rings - Steel

Product Code	Product Code	Inside Ø x Material
Unwelded	Welded	(mm)
413 13	423 13	13 x 2.5
413 16	423 16	16 x 2.5
413 19	423 19	19 x 3.0
413 25	423 25	25 x 3.0
413 26	423 26	25 x 4.0
413 30	423 30	30 x 4.0



Finishes: polished; nickel; zinc

Supplied: bulk in 1000s

Spring Hooks - Steel

Product Code	Length	
	(mm)	(ins)
283 28	28	1 1/8
283 38	38	1 1/2
283 45	45	1 3/4
283 50	50	2
283 60	60	2 3/8



Finish: nickel

Supplied: 100 per box; bulk in 1000s

Dee Rings - Steel

Product Code	Product Code	Inside Ø x Material
Unwelded	Welded	(mm)
373 13	383 13	13 x 2.0
373 16	383 16	16 x 2.5
373 19	383 19	19 x 2.8
373 25	383 25	25 x 3.0
373 30	383 30	30 x 4.0



Finishes: polished; nickel

Supplied: bulk in 1000s

Small Chains & Accessories



◆ PLUMBING CHAINS & ACCESSORIES

Plumbing Assembly Chains - Brass

Size (mm)	Description
3.2	No.6 Ball
13 x 1.6	Open-Joint Clock
13 x 1.8	Brazed Oval

Finish: chrome



◆ BATH, BASIN & SINK CHAINS

No. 6 Ball Chain Assemblies

Product Code	Length (mm)	Description
011 33	305	38mm Stay
011 53	380	38mm Stay
011 73	460	38mm Stay
011 35	305	Hook each end
011 55	380	Hook each end
011 75	460	Hook each end
011 37	305	Wood screw stay
011 57	380	Wood screw stay
011 77	460	Wood screw stay



Finish: chrome
Supplied: 100 per box;
bulk in 1000s

Chain Stays - Brass heads

Product Code	Size (mm)	Description
051 50	38	Chain stay, 7/32" Steel thread & nut
051 70	19	Woodscrewstay, Steel thread

Finishes: heads - chrome
threads & nuts - zinc
Supplied: 100 per box; bulk in 1000s



Open - Joint Clock Chain Assemblies

Product Code	Length (mm)	Description
021 33	305	38mm Stay
021 53	380	38mm Stay
021 73	460	38mm Stay
021 35	305	Hook each end
021 55	380	Hook each end
021 75	460	Hook each end
021 37	305	Wood screw stay
021 57	380	Wood screw stay
021 77	460	Wood screw stay



Finish: chrome
Supplied: 100 per box;
bulk in 1000s

Fittings - Brass

Product Code	Size (mm)	Description
261 22	22 x 2	Con Hooks
441 25	11 x 2	Jump Rings
441 15	1.8	Triangles
441 14	2.0	Triangles

Finishes: nickel; chrome
Supplied: 100 per box; bulk in 1000s



Brazed Oval Chain Assemblies

Product Code	Length (mm)	Description
031 33	305	38mm Stay
031 53	380	38mm Stay
031 73	460	38mm Stay
031 35	305	Hook each end
031 55	380	Hook each end
031 75	460	Hook each end
031 37	305	Wood screw stay
031 57	380	Wood screw stay
031 77	460	Wood screw stay



Finish: chrome
Supplied: 100 per box;
bulk in 1000s

Plugs with Triangles

Product Code	Size (mm)	Description
524 43	38	Black polythene
524 45	44	Black polythene

Supplied: 100 per box; bulk in 1000s



WELDED CHAINS AND ACCESSORIES

CHAINS

Our Welded Steel chains are made to UK and international standards, with the links side welded for extra strength and quality tested. These chains are suitable for all general purpose, engineering, industrial, agricultural and marine applications in conjunction with our range of mild steel accessories.


All products are available as stock items across a wide range of sizes and protective finishes such as zinc, black and hot dip galvanised.

Welded chain assemblies designed to customer specifications are also an important part of this range. Please see our "Assemblies" section for more details on our specialist service.



Ø 1.6 - 12mm

**Welded Straight Link
(to UK specification)**



Ø 2 - 12mm

**Welded Long Link
(to DIN 5685 A&C)**



Ø 5 - 16mm

**Welded, Tested and
Certified Short Link
Chain (to DIN 766)**



Ø 2.5 - 6mm


**Welded Twisted
Link Chain**







Ø 6mm

**Spiked Fencing
Chain**

ACCESSORIES

								
Ess Hooks	Mending Links	Quick Links	Repair Links	Carbine Hooks	Springhooks to Crue	Springhooks to Swivel	Swivel Snap Hooks	Simplex Hooks

								
Swivels	Ring on Plate	Welded Rings	Eyebolts DIN 580	Eyenuts DIN 582	Dee Shackles	Bow Shackles	Spring Pins	Lynch Pins

							
Straining Screws	Woodpost Fittings	Post Fittings	Eyebolts	Swing Hooks	Ringbolts	Wire Rope Thimbles and Grips	Wire Rope

Mild Steel Straight Link Chains

U.K. SPECIFICATIONS

welded, test loaded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
453 02	1.6 x 13	1.6	13 x 4	0.05	15
453 10	2 x 14	2.0	14 x 5	0.08	30
193 14	2.5 x 14	2.5	14 x 6	0.11	50
193 18	2.5 x 19	2.5	19 x 7	0.10	50
193 22	3 x 16	3.0	16 x 8	0.17	85
193 24	3 x 21	3.0	21 x 8	0.16	80
193 28	3 x 26	3.0	26 x 8	0.15	80
193 32	4 x 19	4.0	19 x 9	0.30	130
193 34	4 x 26	4.0	26 x 9	0.28	120
193 42	5 x 21	5.0	21 x 11	0.50	170
193 44	5 x 28	5.0	28 x 11	0.47	160
193 52	6 x 24	6.0	24 x 12	0.68	265
193 54	6 x 33	6.0	33 x 13	0.62	250
193 60	6.5 x 36	6.5	36 x 14	0.79	290
193 66	7 x 38	7.0	38 x 15	0.91	370
193 75	8 x 42	8.0	42 x 17	1.17	460
193 81	10 x 53	10.0	53 x 18	1.84	655
453 85	12 x 61	12.0	61 x 23	2.59	1025

Finishes: polished; black; bright zinc; hot galvanised

Supplied: bulk in hanks; 10m boxes; 10m bags; on reels

*Maximum load figures quoted are for guidance only. These chains are test loaded, but not certified and should never be used for any overhead lifting, load binding or towing applications.

TWISTED LINK CHAINS - MILD STEEL

welded, untested



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
463 25	2.5 x 9	2.5	9 x 4	0.14	40
463 34	3 x 16	3.0	16 x 5	0.17	60
463 44	4 x 19	4.0	19 x 5	0.31	100
463 52	5 x 21	5.0	21 x 7	0.53	140
463 62	6 x 33	6.0	33 x 9	0.66	150
463 65	6.5 x 36	6.5	6.5 x 36	0.81	160

Finishes: polished, bright zinc

Supplied: bulk in hanks; on reels

*Maximum load figures quoted are for guidance only. These chains are not tested.

Mild Steel Welded Chains – DIN 5685

SHORTER LINK – DIN 5685A

welded, untested



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kgs)	*Maximum Load (kgs)
883 06	2 x 16	2.0	16 x 4	0.08	25
883 14	2.5 x 17	2.5	17 x 5	0.11	50
883 20	3 x 16	3.0	16 x 6	0.16	85
883 30	4 x 19	4.0	19 x 8	0.30	125
883 40	5 x 21	5.0	21 x 10	0.49	170
883 50	6 x 24	6.0	24 x 12	0.68	260
883 62	7 x 28	7.0	28 x 14	1.00	385
883 72	8 x 32	8.0	32 x 16	1.31	480
883 80	10 x 40	10.0	40 x 20	2.10	685
883 84	12 x 48	12.0	48 x 24	2.94	1100

Finishes: self colour; black; bright zinc; hot galvanised

Supplied: bulk in hanks; 10m boxes; 10m bags; on reels

*Maximum load figures quoted are for guidance only. These chains are not tested.

LONGER LINK – DIN 5685C

welded, untested



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kgs)	*Maximum Load (kgs)
883 08	2 x 22	2.0	22 x 4	0.07	25
883 16	2.5 x 24	2.5	24 x 5	0.11	50
883 26	3 x 26	3.0	26 x 6	0.15	80
883 36	4 x 32	4.0	32 x 8	0.26	120
883 46	5 x 35	5.0	35 x 10	0.43	160
883 56	6 x 42	6.0	42 x 12	0.57	250
883 68	7 x 49	7.0	49 x 14	0.82	370
883 76	8 x 54	8.0	54 x 16	1.03	455
883 82	10 x 66	10.0	66 x 20	1.63	650
883 86	12 x 76	12.0	76 x 24	2.63	1020

Finishes: self colour; black; bright zinc; hot galvanised

Supplied: bulk in hanks; 10m boxes; 10m bags; on reels

*Maximum load figures quoted are for guidance only. These chains are not tested.

Mild Steel Welded Chains – Tested

SHORT LINK CHAINS – DIN 766

welded, tested and certified



Product Code	Size (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	W. L. L. (kg)	Breaking Load (kg)
473 05	5	18.5 x 7	0.50	250	1000
473 06	6	18.5 x 8	0.75	350	1400
473 08	8	24 x 10	1.35	630	2500
473 10	10	28 x 14	2.30	1000	4000
473 12	12	36 x 17	3.10	1360	5440
473 16	16	45 x 22	5.80	2500	10000

Finishes: *self colour; bright zinc; hot galvanised*

Supplied: *bulk by the metre*

LONG LINK CHAINS – DIN 763

welded, tested and certified



Product Code	Size (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	W. L. L. (kg)	Breaking Load (kg)
473 17	5	35 x 10	0.43	200	800
473 19	6	42 x 12	0.63	300	1200
473 23	8	54 x 16	1.10	500	2000
473 25	10	66 x 20	1.75	750	3000
473 27	12	78 x 24	2.63	1120	4500
473 29	16	100 x 30	4.45	2500	10000

Finishes: *self colour; bright zinc; hot galvanised*

Supplied: *bulk by the metre*

Ess Hooks

mild steel

Product Code	Size (mm)	Length (mm)	Inside Eye Ø (mm)
573 03	3	34	11
573 04	4	40	12
573 05	5	48	16
573 06	6	60	18
573 07	7	70	20
573 08	8	75	17



Finish: zinc plated
Supplied: 3 - 6mm 50 per box
 7 - 8mm 20 per box
 bulk in 100s

Repair Links

forged steel

Product Code	Size (mm)	Inside Dims. (mm)
643 16	6	8 x 18
643 18	8	10 x 24
643 20	10	15 x 30



Finish: zinc plated
Supplied: 10 per box
 bulk in 100s

Mending Links

mild steel

Product Code	Size (mm)	Inside Dims. (mm)
643 03	3.5	22 x 7
643 04	4	24 x 7.5
643 05	5	28 x 9.5
643 06	6	32 x 12
643 07	7	36 x 14
643 08	8	40 x 17
643 10	10	51 x 23



Finish: zinc plated
Supplied: 3.5 - 6mm 50 per box
 7 - 10mm 20 per box
 bulk in 100s

Swivels

mild steel

Product Code	Size (mm)	Length (mm)
773 04	4	47
773 05	5	67
773 06	6	74
773 07	7	81
773 08	8	96
773 10	10	106



Finish: zinc plated
Supplied: 10 per box
 bulk in 100s

Quick Links

mild steel

Product Code	Size (mm)	Inside Dims. (mm)
653 03	3.5	28 x 10
653 04	4	32 x 11
653 05	5	39 x 12
653 06	6	46 x 14
653 07	7	52 x 16
653 08	8	59 x 18
653 10	10	70 x 20
653 12	12	85 x 25
653 14	14	95 x 26
653 16	16	111 x 30



Finish: zinc plated
Supplied: 3.5 - 6mm 10 per box
 7 - 12mm 5 per box
 bulk in 100s

Welded Rings

mild steel

Product Code	Size (mm)	Inside Ø (mm)
663 03	3	20
663 04	4	25
663 05	5	30
663 06	6	35
663 07	7	40
663 08	8	45
663 10	10	50



Finish: zinc plated
Supplied: 3 - 6mm 50 per box
 7 - 10mm 20 per box
 bulk in 100s

Carbine Hooks

mild steel

Product Code	Size (mm)	Length (mm)
563 04	4	40
563 05	5	50
563 06	6	60
563 07	7	70
563 08	8	80
563 10	10	100
563 11	11	120
563 12	12	140



Finish: zinc plated
Supplied: 10 per box
bulk in 100s

Carbine Hooks with Eye

mild steel

Product Code	Size (mm)	Length (mm)	Inside Eye Ø (mm)
563 34	4	40	5.0
563 35	5	50	5.5
563 36	6	60	7.0
563 37	7	70	7.5
563 38	8	80	9.0
563 40	10	100	11.5



Finish: zinc plated
Supplied: 10 per box
bulk in 100s

Carbine Hooks with Safety Screw

mild steel

Product Code	Size (mm)	Length (mm)
563 36	6	60
563 37	7	70
563 38	8	80
563 40	10	100



Finish: zinc plated
Supplied: 10 per box
bulk in 100s

Swivel Snap Hooks

zinc diecast

Product Code	Length (mm)	Inside Eye (mm)
636 62	62	10
636 77	77	10
636 80	80	16



Finish: nickel plated
Supplied: 20 per box
bulk in 100s

Simplex Hooks

mild steel

Product Code No Swivel	Product Code With Swivel	Length (mm)
583 30	593 30	30
583 35	593 35	35
583 40	593 40	40
583 50	593 50	50
583 60	593 60	60
583 70	593 70	70
583 80	593 80	80
583 90	593 90	90
583 92	593 92	100
583 94	593 94	120



Finish: zinc plated
Supplied: 30 - 70mm 100 per box
80 - 120mm 50 per box
bulk in 1000s

Springhooks to Crue

mild steel

Product Code	Size (mm)	Length (mm)
603 50	5	50
603 63	6	65
603 75	7	70
603 88	8	80
603 90	9	90
603 91	10	105



Finish: zinc plated
Supplied: 10 per box
bulk in 100s

Springhooks to Swivel

mild steel

Product Code	Size (mm)	Length (mm)
613 50	5	50
613 63	6	65
613 75	7	70
613 88	8	80
613 90	9	90
613 92	10	105



Finish: zinc plated
Supplied: 10 per box
bulk in 100s

Dee Shackles

mild steel

Product Code	Body & Pin size (mm)	Inside Length x Width (mm)
683 05	5	19 x 10
683 06	6	25 x 13
683 08	8	30 x 16
683 10	10	38 x 19
683 12	12	49 x 25
683 14	14	56 x 29
683 16	16	65 x 32
683 18	18	69 x 38
683 20	20	71 x 37
683 22	22	84 x 43
683 25	25	95 x 50



Finish: galvanised
Supplied: 5 - 12mm 20 per box
 14 - 25mm 10 per box
 bulk in 100s

Straining Screws – Eye/Eye

forged steel

Product Code	Size (mm)	Body Length (mm)	Eye Ø (mm)
693 05	5	74	8
693 06	6	89	10
693 08	8	104	11
693 10	10	133	14
693 12	12	140	18
693 14	14	170	18
693 16	16	178	23
693 18	18	198	24.5
693 20	20	218	24.5
693 22	22	242	30
693 25	25	262	35



Finish: galvanised
Supplied: 5 - 10mm 10 per box
 12 - 25mm 5 per box
 bulk in 100s

Bow Shackles

mild steel

Product Code	Body & Pin size (mm)	Inside Length x Width (mm)
673 05	5	19 x 15
673 06	6	25 x 18
673 08	8	32 x 22
673 10	10	42 x 28
673 12	12	50 x 35
673 14	14	62 x 44
673 16	16	65 x 48
673 19	18	80 x 54
673 20	20	80 x 58
673 22	22	85 x 66
673 25	25	100 x 75



Finish: galvanised
Supplied: 5 - 12mm 20 per box
 14 - 25mm 10 per box
 bulk in 100s

Straining Screws – Hook/Hook

forged steel

Product Code	Size (mm)	Body Length (mm)	Inside Hook (mm)
693 65	5	74	8
693 66	6	89	10
693 68	8	104	11
693 70	10	133	14
693 72	12	140	18
693 74	14	170	18
693 76	16	178	23
693 78	18	198	24.5
693 80	20	218	24.5
693 82	22	242	30
693 85	25	262	35



Finish: galvanised
Supplied: 5 - 10mm 10 per box
 12 - 25mm 5 per box
 bulk in 100s

Rigging Screws

mild steel

Product Code	Size (mm)	Body Length (mm)
693 89	6	100
693 90	8	110
693 92	10	130
693 94	12	200
693 91	16	230
693 88	20	270



Finish: galvanised
Supplied: 6 - 10mm 10 per box
 12 - 20mm 5 per box
 bulk in 100s

Straining Screws – Hook/Eye

forged steel

Product Code	Size (mm)	Body Length (mm)	Eye Ø (mm)	Hook
693 35	5	74	8	6
693 36	6	89	10	9
693 38	8	104	11	10
693 40	10	133	14	12
693 42	12	140	18	13
693 44	14	170	18	14
693 46	16	178	23	19
693 48	18	198	24.5	21
693 50	20	218	24.5	24
693 52	22	242	30	24
693 54	25	262	35	24



Finish: galvanised
Supplied: 5 - 10mm 10 per box
 12 - 25mm 5 per box
 bulk in 100s

Ringbolts - woodscrew thread mild steel

Product Code	Size (mm)	Body Length (mm)	Ring (mm)
803 06	6	40	6 x 35
803 08	8	50	8 x 40
803 10	10	70	10 x 45
803 12	12	80	12 x 50

Finish: zinc plated
Supplied: 10 per box
bulk in 100s



Ringbolts with Nut mild steel

Product Code	Size (mm)	Body Length (mm)	Ring (mm)
803 16	6	80	6 x 35
803 18	8	90	8 x 40
803 20	10	80	10 x 50
803 22	10	100	10 x 50
803 24	12	100	10 x 50
803 26	12	120	10 x 50

Finish: zinc plated
Supplied: 10 per box
bulk in 100s



Swing Hooks - woodscrew thread mild steel

Product Code	Size (mm)	Length (mm)
803 30	9	120

Finish: zinc plated
Supplied: 10 per box
bulk in 100s



Swing Hooks with Nut mild steel

Product Code	Size (mm)	Length (mm)
803 40	12	70
803 42	12	150
803 44	14	80
803 46	14	180

Finish: zinc plated
Supplied: 10 per box
bulk in 100s



Spiked Chain mild steel

Product Code	Type	Size (mm)	Inside Dims. (mm)
513 02	Every Link	6	50 x 13
513 12	Alternate Link	6	50 x 13

Finish: galvanised; black
Supplied: 25m hanks



Hook on Plate mild steel

Product Code	Type	Plate (mm)
513 24	8mm Hook	50 x 50

Finish: galvanised; black
Supplied: 10 per box
bulk in 100s



Staple on Plate mild steel

Product Code	Type	Plate (mm)
513 22	6mm Staple	50 x 50

Finish: galvanised; black
Supplied: 10 per box
bulk in 100s



Ring on Plate mild steel

Product Code	Plate (mm)
513 52	50 x 50


Finish: galvanised; black
Supplied: 10 per box
bulk in 100s



Fittings for 4" posts mild steel

Product Code	Type	Plate (mm)
513 32	Intermediate Post	10
513 42	End Post	10

Finish: galvanised
Supplied: 10 per box
bulk in 100s



Welded Chains & Accessories



Unwelded Eyebolts (inc. nut & washer) mild steel

Product Code	Size (mm)	Length (mm)
783 30	6	100
783 31	6	150
783 60	8	100
783 61	8	150
783 62	8	200
783 64	8	250
783 81	10	150
783 82	10	200
783 84	10	250
783 85	10	300

Finish: zinc plated
Supplied: 50 per box
bulk in 100s



Lynch Pins mild steel

Product Code	Pin Size (mm)	Inside Ring Ø (mm)
523 14	4.5	41
523 16	6	41
523 17	6	45
523 19	7	41
523 21	8	41
523 22	8	45
523 24	9	41
523 26	10	41
523 28	11	41
523 29	11	45


Finish: zinc plated
Supplied: 25 per box
bulk in 100s



Welded Eyebolts (inc. nut & washer) mild steel

Product Code	Size (mm)	Length (mm)
793 30	6	100
793 31	6	150
793 60	8	100
793 61	8	150
793 62	8	200
793 64	8	250
793 81	10	150
793 82	10	200
793 84	10	250
793 85	10	300

Finish: zinc plated
Supplied: 50 per box
bulk in 100s



Lifting Eyebolts (DIN 580) forged steel

Product Code	Size (mm)	Inside Ø (mm)
703 06	M6	20
703 08	M8	20
703 10	M10	25
703 12	M12	30
703 14	M14	35
703 16	M16	35
703 18	M18	38
703 20	M20	40
703 22	M22	47
703 24	M24	50

Finishes: self colour; zinc plated
Supplied: 6 - 14mm 10 per box
16 - 24mm 5 per box
bulk in 100s



Spring Cotter Pins mild steel

Product Code	Wire Size (mm)	Length (mm)
523 32	2	57
523 33	3	72
523 34	4	74
523 35	5	102
523 36	6	126

Finish: zinc plated
Supplied: 100 per box
bulk in 1000s



Lifting Eynuts (DIN 582) forged steel

Product Code	Size (mm)	Inside Ø (mm)
713 06	M6	20
713 08	M8	20
713 10	M10	25
713 12	M12	30
713 14	M14	30
713 16	M16	35
713 18	M18	38
713 20	M20	40
713 22	M22	47
713 24	M24	50

Finishes: self colour; zinc plated
Supplied: 6 - 14mm 10 per box
16 - 24mm 5 per box
bulk in 100s



Wire Rope Grips - Simplex mild steel

Product Code	Size (mm)	Thread	Length x Width (mm)
723 72	2	M4	15 x 4
723 73	3	M4	17 x 6
723 74	4	M5	20 x 8
723 75	5	M5	25 x 10
723 76	6	M6	30 x 12
723 78	8	M8	37 x 17



Finish: zinc plated
Supplied: 2 - 4mm 100 per box
 5 - 8mm 50 per box
 bulk in 100s

Commercial Wire Rope Thimbles mild steel

Product Code	Size (mm)	Length x Width x Thickness (mm)
733 03	3	24 x 16 x 5
733 04	4	28 x 19 x 6
733 05	5	35 x 22 x 7
733 06	6	40 x 27 x 9
733 08	8	49 x 31 x 12
733 10	10	55 x 34 x 14
733 12	12	66 x 42 x 16
733 14	14	78 x 48 x 19
733 16	16	90 x 55 x 21
733 18	18	100 x 65 x 23
733 20	20	115 x 70 x 29
733 22	22	118 x 80 x 30
733 24	24	130 x 85 x 33



Finish: galvanised
Supplied: 3 - 12mm 20 per box
 14 - 24mm 10 per box
 bulk in 100s

Wire Rope Grips - Duplex mild steel


Product Code	Size (mm)	Thread	Length x Width (mm)
723 82	2	M4	30 x 4
723 83	3	M4	35 x 6
723 84	4	M5	40 x 8
723 85	5	M5	50 x 10
723 86	6	M6	60 x 12
723 88	8	M8	75 x 15



Finish: zinc plated
Supplied: 2 - 4mm 100 per box
 5 - 8mm 50 per box
 bulk in 100s

Wire Rope galvanised steel

Product Code	Size Ø (mm)
893 50	1.5
893 51	2
893 52	2.5
893 53	3
893 55	4
893 57	5
893 59	6
893 61	8



(7 x 7 Steel Core)

Finish: galvanised
Supplied: bulk on reels


Commercial Wire Rope Grips (DIN 741) mild steel

Product Code	Size (mm)	Length x Width x Thickness (mm)
723 03	3	21 x 21 x 10
723 05	5	24 x 22 x 11
723 06	6	28 x 24 x 12
723 08	8	35 x 30 x 14
723 10	10	42 x 34 x 18
723 12	12	56 x 40 x 23
723 14	14	58 x 44 x 24
723 16	16	63 x 50 x 26
723 20	20	75 x 53 x 28
723 22	22	82 x 60 x 33
723 24	24	95 x 66 x 36



Finish: galvanised
Supplied: 3 - 12mm 20 per box
 14 - 24mm 10 per box
 bulk in 100s


Product Code	Size Ø (mm)
893 74	2
893 75	3
893 76	4
893 77	5
893 78	6
893 79	8



(6 x 19 Fibre Core)

Finish: galvanised
Supplied: bulk on reels

Product Code	Size Ø (mm)
893 85	3
893 87	4
893 89	5
893 91	6
893 93	8




(7 x 19 Steel Core)

Finish: galvanised
Supplied: bulk on reels

STAINLESS STEEL CHAINS AND ACCESSORIES


CHAINS

Stainless Steel, in various grades, is used wherever anti-corrosion properties are important. From specialised food processing and chemical plant applications to more general use in the engineering, water supply and marine industries, stainless steel gives essential increased reliability and durability with minimum maintenance.




Welded Straight Link

Ø 1.5 - 10mm



**Tested and Certified
Short Link Chain
(to DIN 766)**

Ø 5 - 16mm



**Welded Long Link
(to DIN 5685C)**





Ø 2 - 10mm








Twisted Link Chain

Ø 1.5 - 4mm

ACCESSORIES

							
Ess Hooks	Quick Links	Welded Rings	Carbine Hooks	Asymmetric Carbine Hooks	Dee Shackles	Strip Shackles	Bow Shackles

								
Swivels	Snap Shackles	Lacing Eyes	Boat Snaps	Eyeplates	Ring on Plate	Eybolls DIN 580	Eyenuts DIN 582	Simplex / Duplex Grips

						
Straining Screws	Rigging Screws	Commercial Eyebolts	Ringbolts	Mooring Springs	Wire Rope Thimbles and Grips	Wire Rope Grips

Stainless Steel



Stainless Steel Straight Link Chains

AISI 316 & 304 welded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
455 01	1.5 x 14	1.5	14 x 5	0.04	12
455 10	2 x 14	2	14 x 5	0.07	30
455 16	2.5 x 17	2	17 x 6	0.12	50
455 23	3 x 19	3	19 x 7	0.18	80
455 32	4 x 20	4	20 x 8	0.30	130
455 42	5 x 21	5	21 x 11	0.50	170
455 50	6 x 24	6	24 x 11	0.68	265
455 72	8 x 32	8	32 x 16	1.25	460
455 80	10 x 40	10	40 x 20	2.00	660

Supplied: *bulk in hanks*

*Maximum load figures quoted are for guidance only.

These chains are test loaded, but not certified and should never be used for any overhead lifting, load binding or towing applications.

Stainless Steel Long Link – DIN 5685C

AISI 316 & 304 welded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
455 12	2 x 22	2	22 x 4	0.06	25
455 26	3 x 26	3	26 x 6	0.15	80
455 36	4 x 32	4	32 x 8	0.27	120
455 46	5 x 35	5	35 x 10	0.43	160
455 56	6 x 42	6	42 x 12	0.63	250
455 76	8 x 52	8	52 x 8	1.10	460
455 82	10 x 66	10	66 x 10	1.75	650

Supplied: *bulk in hanks*

*Maximum load figures quoted are for guidance only.

These chains are not tested.

Stainless Steel



Stainless Steel Short Link – DIN 766

AISI 316 & 304 welded, tested & certified



Product Code	Size (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	W.L.L. (kg)	Breaking Load (kg)
475 05	5	18.5 x 7	0.5	250	1000
475 06	6	18.5 x 8	0.8	350	1400
475 07	7	22 x 9	1.1	450	1800
475 08	8	24 x 10	1.4	630	2500
475 10	10	30 x 15	2.3	1000	4000
475 12	12	36 x 16	3.2	1300	5200
475 14	14	42 x 18	4.4	1900	7600

Supplied: *bulk by the metre*

Stainless Steel Twisted Link Chains

AISI 316 & 304 welded, uncertified



Product Code	Size	Wire Ø (mm)	Inside Link Length x Width (mm)	Weight per mtr (kg)	*Maximum Load (kg)
465 15	1.5 x 6	1.5	6 x 2	0.05	10
465 22	2 x 6	2	6 x 3	0.10	25
465 25	2.5 x 9	2.5	9 x 4	0.14	45
465 32	3 x 12	3	12 x 5	0.19	80
465 42	4 x 15	4	15 x 5	0.33	120

Supplied: *bulk in hanks*

***Maximum load figures quoted are for guidance only.
These chains are not tested.**

Ess Hooks AISI 304

Product Code	Size (mm)	Length (mm)
577 01	2	24
577 02	2.5	32
577 03	3	34
577 04	4	40
577 05	5	48
577 06	6	62
577 07	7	70



Carbine Hooks with Eye AISI 316

Product Code	Wire (mm)	Length (mm)
565 34	4	40
565 35	5	50
565 36	6	60
565 37	7	70
565 38	8	80
565 39	9	90
565 40	10	100
565 41	11	120
565 42	12	140
565 44	14	180



Quick Links AISI 316

Product Code	Size (mm)	Inside Dims. (mm)
655 03	3.5	29 x 10
655 04	4	32 x 12
655 05	5	39 x 13
655 06	6	45 x 14
655 07	7	52 x 16
655 08	8	58 x 18
655 10	10	69 x 22
655 12	12	81 x 24
655 14	14	93 x 27
655 16	16	109 x 30



Carbine Hooks + Screwnut AISI 316

Product Code	Wire (mm)	Length (mm)
565 64	4	40
565 65	5	50
565 66	6	60
565 67	7	70
565 68	8	80
565 69	9	90
565 70	10	100
565 71	11	120
565 72	12	140
565 74	14	180



Welded Rings AISI 316

Product Code	Wire Size (mm)	Inside Ø (mm)
665 13	3	20
665 14	4	25
665 15	5	30
665 16	6	35
665 18	8	45
665 20	10	50
665 22	12	50



Asymmetric Carbine Hooks AISI 316

Product Code	Wire (mm)	Length (mm)
MAR055 18	8	80
MAR055 20	10	100



Carbine Hooks AISI 316

Product Code	Size (mm)	Length (mm)
565 04	4	40
565 05	5	50
565 06	6	60
565 07	7	70
565 08	8	80
565 09	9	90
565 10	10	100
565 11	11	120
565 12	12	140
565 14	14	180



Asymmetric Carbine Hooks + Eye AISI 316

Product Code	Wire (mm)	Length (mm)
MAR055 08	8	80
MAR055 10	10	100
MAR055 11	11	120



Dee Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Length x Width (mm)
685 04	4	16 x 8
685 05	5	19 x 10
685 06	6	25 x 13
685 08	8	30 x 16
685 10	10	38 x 19
685 12	12	44 x 23
685 14	14	47 x 25
685 16	16	53 x 29



Bow Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Length x Width (mm)
675 04	4	16 x 14
675 05	5	19 x 15
675 06	6	28 x 18
675 08	8	30 x 24
675 10	10	38 x 30
675 12	12	42 x 35
675 14	14	56 x 44
675 16	16	65 x 48



Long Dee Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Length x Width (mm)
MAR015 44	4	30 x 8
MAR015 45	5	37 x 10
MAR015 46	6	45 x 12
MAR015 48	8	60 x 16
MAR015 50	10	70 x 20
MAR015 52	12	84 x 24



Swivels (jaw/jaw) AISI 316

Product Code	Size (mm)	Length (mm)
MAR025 46	6	66
MAR025 48	8	94
MAR025 50	10	118
MAR025 53	13	152
MAR025 56	16	188



Strip Shackles AISI 316

Product Code	Pin Size (mm)	Inside Length x Width (mm)
MAR015 24	4	17 x 10
MAR015 25	5	20 x 12
MAR015 26	6	40 x 14
MAR015 28	8	44 x 18



Swivels (eye/eye) AISI 316

Product Code	Size (mm)	Length (mm)
MAR025 04	4.5	60
MAR025 06	6	65
MAR025 08	8	90
MAR025 10	10	115
MAR025 13	13	154
MAR025 16	16	188



Twisted Dee Shackles AISI 316

Product Code	Body & Pin Size (mm)	Inside Dims. Length x Width (mm)
MAR015 05	5	17 x 10
MAR015 06	6	21 x 12
MAR015 08	8	32 x 16
MAR015 10	10	35 x 20
MAR015 12	12	42 x 24



Swivels (eye/jaw) AISI 316

Product Code	Size (mm)	Length (mm)
MAR025 26	6	66
MAR025 28	8	94
MAR025 30	10	118
MAR025 33	13	152
MAR025 36	16	188



Straining Screws Hook/Hook AISI 316

Product Code	Size	Body Length (mm)	Inside Hook (mm)
695 64	M4	55	9
695 65	M5	70	9
695 66	M6	90	10
695 68	M8	120	11
695 70	M10	150	12
695 72	M12	200	14
695 76	M16	250	16



Rigging Screws Fork/Fork AISI 316

Product Code	Size	Pin (mm)	Body Length (mm)	Jaw Width (mm)
MAR065 05	M5	5	80	8
MAR065 06	M6	5	92	8
MAR065 08	M8	6	110	10
MAR065 10	M10	8	115	11
MAR065 12	M12	12	150	14
MAR065 14	M14	12	160	14
MAR065 16	M16	14	190	18



Straining Screws Hook/Eye AISI 316

Product Code	Size	Body Length (mm)	Ø (mm) Eye	Hook
695 34	M4	55	4	9
695 35	M5	70	5	9
695 36	M6	90	6	10
695 38	M8	120	8	11
695 40	M10	150	9	12
695 42	M12	200	12	14
695 46	M16	250	16	16



Snap Shackles – Fixed Eye AISI 316

Product Code	Size (mm)	Overall Length (mm)
MAR035 30	9	52
MAR035 32	12	66
MAR035 36	16	96



Snap Shackles – Swivel Eye AISI 316

Product Code	Size (mm)	Overall Length (mm)
MAR035 52	12	70
MAR035 56	16	87
MAR035 62	22	128



Straining Screws Eye/Eye AISI 316

Product Code	Size	Body Length (mm)	Eye Ø (mm)
695 04	M4	55	4
695 05	M5	70	5
695 06	M6	90	6
695 08	M8	120	8
695 10	M10	150	9
695 12	M12	200	12
695 16	M16	250	16



Forged Lacing Eyes AISI 316

Product Code	Size (mm)	Overall Height (mm)	Overall Length (mm)
MAR105 04	4	16	40
MAR105 05	5	16	51
MAR105 06	6	22	57
MAR105 08	8	25	63



Boat Snaps – Fixed Eye AISI 316

Product Code	Size (mm)	Eye Ø (mm)	Overall Length (mm)
MAR035 03	4	10	53
MAR035 05	4.5	16	73
MAR035 07	5	19	81
MAR035 09	7.5	19	97



Commercial Eyebolts + nut & washer AISI 316

Product Code	Size (mm)	Length Under Eye (mm)	Eye Ø (mm)
MAR085 06	6	40	12
MAR085 16	6	60	12
MAR085 18	8	80	14
MAR085 28	8	100	14
MAR085 30	10	100	16
MAR085 32	12	120	18



Boat Snaps – Swivel Eye AISI 316

Product Code	Size (mm)	Eye Ø (mm)	Overall Length (mm)
MAR035 23	5	18	85
MAR035 25	6	21	100
MAR035 27	7	21	120



Ringbolts with Nut AISI 316

Product Code	Size (mm)	Bolt Length (mm)	Eye Ø (mm)
MAR045 06	6	75	35
MAR045 08	8	75	45
MAR045 10	10	100	50
MAR045 12	12	120	60



Eyeplates AISI 316

Product Code	Size (mm)	Plate (mm)	Inside Eye (mm)
MAR095 05	5	30 x 35	12
MAR095 06	6	35 x 40	17
MAR095 08	8	40 x 50	22



Eyebolts (DIN 580) AISI 316

Product Code	Size	Inside Ø (mm)
705 06	M6	16
705 08	M8	20
705 10	M10	25
705 12	M12	30
705 16	M16	35
705 20	M20	40
705 24	M24	50



Ring on Plate AISI 316

Product Code	Size (mm)	Plate (mm)	Ring Ø (mm)
515 48	5	37 x 59	35
515 50	6	40 x 64	35
515 52	8	50 x 80	45



Eyenuits (DIN 582) AISI 316

Product Code	Size	Inside Ø (mm)
715 06	M6	16
715 08	M8	20
715 10	M10	25
715 12	M12	30
715 16	M16	35
715 20	M20	40
715 24	M24	50




Simplex Grips AISI 316

Product Code	Size (mm)	Length x Width (mm)
725 72	2	15 x 12
725 73	3	17 x 14
725 74	4	20 x 18
725 75	5	25 x 20
725 76	6	30 x 24
725 78	8	37 x 30



Wire Rope AISI 316

Product Code	Size Ø (mm)
895 64	1.5
895 65	2
895 66	2.5
895 67	3
895 68	4
895 69	5




(1 x 19)

Duplex Grips AISI 316

Product Code	Size (mm)	Length x Width (mm)
725 82	2	30 x 12
725 83	3	35 x 14
725 84	4	40 x 18
725 85	5	50 x 20
725 86	6	60 x 24
725 88	8	75 x 30



Product Code	Size Ø (mm)
895 50	1.5
895 51	2
895 52	2.5
895 53	3
895 55	4
895 57	5
895 59	6
895 61	8




(7 x 7)

Wire Rope Grips AISI 316

Product Code	Size (mm)	Length x Width x Thickness (mm)
725 03	3	21 x 21 x 10
725 05	5	24 x 22 x 11
725 06	6	28 x 24 x 12
725 08	8	35 x 30 x 14
725 10	10	42 x 34 x 18
725 12	12	56 x 40 x 23
725 14	14	58 x 44 x 24
725 16	16	63 x 50 x 26




Product Code	Size Ø (mm)
895 81	1.5
895 82	2
895 83	2.5
895 85	3
895 87	4
895 89	5
895 91	6
895 93	8



(7 x 19)

Product Code	Size Ø (mm)
895 42	4-6mm
895 43	6-8mm



(White PVC Coated 1 x 19)

Wire Rope Thimbles AISI 316

Product Code	Size (mm)	Length x Width x Thickness (mm)
735 03	3	24 x 16 x 5
735 04	4	28 x 19 x 6
735 05	5	35 x 22 x 7
735 06	6	40 x 27 x 9
735 08	8	49 x 31 x 12
735 10	10	55 x 34 x 14
735 12	12	66 x 42 x 16
735 14	14	78 x 48 x 19
735 16	16	90 x 55 x 21



Mooring Springs AISI 302

Product Code	Wire Ø (mm)	Length (mm)
MAR13 08	5	340
MAR13 10	6	360
MAR13 12	7	360
MAR13 14	10	520



PLASTIC CHAINS, POSTS AND ACCESSORIES

PLASTIC CHAINS

Short Link



Supplied - 25m lengths

Size (mm)	Inside Link	Colours
2	10 x 4	white
3	15 x 7	white; red
5	20 x 10	white; red;
6	27 x 12	yellow; black;
8	33 x 13	white/red;
10	54 x 22	yellow/black

Ornamental



Supplied - 25m lengths

Size (mm)	Inside Link	Colours
6	28 x 10	white
8	39 x 14	white

Spiked Chain



Supplied - 25m lengths

Size (mm)	Inside Link	Colours
6	28 x 8	white

ACCESSORIES

Connecting Links



Size (mm)	Colours
3	white; red
5	
6	white; red;
8	
10	

Supplied - 25 per bag; pre-packs


"S" Hooks



Size (mm)	Colours
8	white; red;
	yellow; black


Supplied - 25 per bag; pre-packs

Post Connectors



Length (cm)	Width (cm)	Colour
17	2	yellow

Supplied - 10 per bag



Sign Kit



Self-assembly frame kit for fastening onto posts. Can be attached to posts via two clips or hung using plastic chain. A choice of vertical or horizontal positions. Sizes - A4, A5.

POSTS & BASES

Post with separate base



Diam (cm)	Height (cm)	Colours
4	90	white;
	110	red/white;
	130	yellow/black

Post with spike



With 27cm spike for turf and garden areas.

Diam (cm)	Height (cm)	Colours
4	60	white
	80	
	100	



Rubber base



Size (cm)	Colours
27 x 27	black

Plastic base



Light and easy handling empty; stable and heavy when filled with water or sand.

Size (cm)	Colours
30	black

Concrete fillable base



Triangular rubber base to be filled with concrete for maximum stability.

Size (cm)	Colours
29 x 29	black

SECURITY CHAINS, ACCESSORIES, PADLOCKS & CABLE LOCKS

SECURITY CHAINS & ACCESSORIES

PRODUCT	X-SECTION	SIZES(MM)	GRADE	SLEEVEING
Welded Steel, Case Hardened chains				
HARDLINK		6,8	Standard	Plastic•Fabric
QUADLINK		8,10	Medium	Plastic•Fabric
STRONGLINK		4,5,6,8,10	Medium	Thermoplastic
HEXLINK		12	High	Fabric
Alloy Steel, Through Hardened and Tested chains				
SUPERQUAD ★		6,8,10,14	High	Thermoplastic
SUPERHEX ★●		10,13	High	Thermoplastic
SUPERLINK ★●		10,13,16	Highest	Plastic•Fabric
★ Sold Secure Approved ● Thatcham Approved				

ACCESSORIES

Combined with our top security chains, these provide strong anchorage points to the ground.



Ground Anchor ★●



Earthscrew
Ground Anchor

PADLOCKS

Produced to our own specification and to ISO 9000 standards, the EC Security padlock range has been combined with a selection of tested proprietary padlocks to offer a range of quality security options. Our "Extra Heavy-Duty" locks are "Sold Secure" and "Thatcham" approved matching our higher grade security chains.

STANDARD SECURITY



Brass Padlock



Resettable
Combination
Padlock

MEDIUM SECURITY



Discus Padlock



Laminated Steel
Padlock



Close Shackle
Padlock

HEAVY-DUTY



Shutter Lock



Chain Lock



Armoured Block
Lock

EXTRA HEAVY-DUTY



Armoured Double
Slot
Lock



Solid Hardened
Block Lock ●



Solid Hardened
Padlock ★●

CABLES & CABLE LOCKS

Ideal for solving many outdoor and domestic security problems. Used with cycles, motorbikes, trailers, caravans, garden equipment, power tools and boats.



Spiral Cable
Locks



Steel Security
Cables



U-Shackle
Locks



Steel
Locking
Cable



Combination
Cable Locks



Steel Cable &
Shackle Locks



Hi-Grade
U-Shackle
Locks



Heavy Duty
Steel Locking
Cable



Heavy Duty
Spiral Cable
Locks



Heavy Duty
U-Shackle
Locks



Steel Joint
Lock

WELDED STEEL CASE HARDENED CHAINS

Hardlink

Standard Level

Chain link cross section



Good, basic security chain. Case hardened, 6 & 8mm thick welded steel chain. Zinc plated for corrosion resistance. With plastic sleeve.

Product Code	Chain Size (mm)	Length (cm)
923 50	6	60
923 51	6	90
923 52	6	120
923 55	8	90
923 58	8	120
923 61	8	150

Stronglink

Medium Level

Chain link cross section

A very popular, high quality, general purpose security chain range. Welded steel chain 4-10mm thick with deep case hardening for hacksaw resistance. Zinc plated and protected by red thermo-shrunk sleeving.



6, 8 & 10mm also available unsleeved in lengths up to 10metres

Product Code	Chain Size (mm)	Length (cm)
483 21	4	60
483 22	4	80
483 31	5	60
483 32	5	80
483 40	6	60
483 43	6	90
483 46	6	120
483 73	8	90
483 76	8	120
483 77	8	150
483 84	10	90
483 86	10	120
483 87	10	150
483 89	10	200

Quadlink

Medium Level

Chain link cross section



Square section, steel chain. 10mm thick, case hardened and zinc plated in plastic or fabric sleeve. For heavier duty applications.

Product Plastic	Code Fabric	Chain Size (mm)	Length (cm)
923 80	923 71	10	90
923 82	923 72	10	120
923 84	923 73	10	150
923 86	923 74	10	200

Hexlink

Heavy Duty

Chain link cross section



12mm thick hexagonal section links for heavy duty applications. Case hardened for high resistance to hacksaws. Zinc plated for corrosion resistance. High security rating. With heavy duty flexible fabric cover to protect paintwork.

Product	Dimensions Ø(mm) x L(cm)
95380HC	12 x 150
95382HC	12 x 200

Hi-Grade Alloy Steel Chains THROUGH HARDENED & CASE HARDENED

Superquad

Heavy Duty

Chain link cross section



High grade, square section chain made from special alloy steels for maximum strength. Through- and case hardened for high resistance to hacksaws and boltcutters. Bright zinc plated with blue thermoshrunk sleeve. 14mm chain in plastic or fabric sleeve. **High security rating.**



10mm & 14mm also available
unsleeved in lengths up
to 10metres

Product Code	Chain Size (mm)	Length (cm)
493 41	6	60
493 43	6	90
493 46	6	120
493 73	8	90
493 76	8	120
493 77	8	150
493 83	10	90
493 86	10	120
493 87	10	150
493 89	10	200
493 91	14	120
493 92	14	150
493 94	14	200

Superlink

Extra Heavy Duty

Chain link cross section



Our heaviest duty chain made from highest grade alloy steels with a three stage through- and case hardening to give maximum possible resistance to saws and boltcutters. Plated in a distinctive gold colour and covered in a thick plastic sleeve or flexible fabric cover. **Highest security rating.**




Also available unsleeved in
lengths up to 10metres

Product Code	Chain Size (mm)	Length (cm)
903 43	10	90
903 46	10	120
903 47	10	150
903 49	10	200
903 76	13	120
903 77	13	150
903 79	13	200
903 86	16	120
903 87	16	150
903 89	16	200

ACCESSORIES

Earthcrew Ground Anchor

Medium Level



Unique design screws into the ground to provide a very strong anchorage point. Galvanised steel. Quick and simple to use. Ideal for numerous DIY and gardening tasks or for tethering animals.

Product Code	Dimensions Ø x L x W (mm)
523 30GC	12 x 566 x 86

Trojan Ground Anchor

Extra Heavy Duty



Thick case hardened steel with unique double bridge design. Floor fitting using four fixing bolts with steel ball inserts. Takes up to 13mm chain. Easy to fit with full instructions included. Red epoxy coated finish.

Product Code	Dimensions Ø x L x W (mm)
523 87RC	68 x 150 x 150

Superhex

Extra Heavy Duty

Chain link cross section



High tensile, alloy steel chain with hexagonal section for very high rating at lower weight. Core- and case hardened for maximum cutting resistance. Bright zinco-chrome plating. With plastic or fabric sleeving. **Very high security rating.**



Product Code	Chain Size (mm)	Length (cm)
953 16	10	90
953 17	10	120
953 18	10	150
953 19	10	200
953 40	13	120
953 42	13	150
953 44	13	200

Also available unsleeved in lengths
up to 10metres



Brass Padlock

Standard Level



- Universally popular range
- Solid brass body
- Hardened steel shackle
- 3 keys

Iron padlocks also available in most sizes.

Sizes: 20, 25, 32, 38, 50, 63mm

Long shackle versions: 38, 50mm

Solid Steel Padlock

Heavy Duty



- Extra thick steel body
- Hardened, sprung shackle
- Anti-drill plate
- Double ball locking
- Satin nickel plated

Sizes: 50, 65mm

Long shackle versions: 50, 65mm

Discus Padlock

Medium Level



- Stainless steel body
- Hardened steel shackle
- 5 pin cylinder

Sizes: 60, 70, 90mm

Brass Block Lock

Heavy Duty



- Extra thick solid brass body
- Hardened, 11mm steel shackle
- Special high security cylinder
- Satin nickel plated

Sizes: 70, 80mm

Close Shackle Padlock

Medium Level



- Solid brass body
- Hardened, steel shackle
- Special high security cylinder
- 4 reversible keys
- Satin nickel finish

Sizes: 50, 60, 70mm

Stainless Steel Armoured Lock

Heavy Duty



- Stainless steel armoured casing for protection
- 12mm hardened steel shackle
- 6-pin security cylinder
- Takes up to 14mm chain

Sizes: 60, 80, 90mm

Brass Shutter Lock

Medium Level



- Thick brass body
- Hardened steel shackle
- Sprung shackle operation

Sizes: 60, 70, 80mm

EC Series 10

Combination Lock

Standard Level



Ideal for use on luggage, bags, lockers or any light security application where keyless locking is preferred. The dial combinations are easily and quickly reset as many times and as often as needed.

- Solid brass body
- Chrome plated steel shackle
- 3/4 digit code system
- Resettable combination

Product		Body (mm)		Shackle (mm)		
Code	Size	Width	Height	Diam	Inside Width	Height
P0102	20mm	20	31	3	9	21
P0103	30mm	30	36	4	13	24

EC Series 50

Laminated Steel Padlock

Medium Level



The steel laminations make this a very strong lock body. With a high quality dual locking mechanism, anti-pick pins and hardened steel shackle, this is one of the best laminated steel locks available. A durable vinyl bumper protects the surface of items to be locked.

- Precision steel laminated construction
- Hardened steel shackle - open sprung
- Double locking
- 4/5-pin cylinder mechanism
- Vinyl bumper guard
- Long shackle versions available

Product		Body (mm)		Shackle (mm)		
Code	Size	Width	Height	Diam	Inside Width	Height
P0503	30mm	30	26	5	14	17
P0504	40mm	40	34	6	20	22
P0505	50mm	50	39	9	23	29
P0507	65mm	65	48	10	30	35
P050W	LS40/50	40	34	6	20	51
P050X	LS50/50	50	39	9	23	51

EC Series 100

Armoured Chainlock

Heavy Duty



Unique, compact design specially for use with high quality security chains. The thick hardened steel casing gives resistance to hacksaws, boltcutters and levers. With high quality security chains these locks are very popular for heavy duty applications such as motorcycles, agricultural and plant hire equipment security.

- Hardened steel casing
- Hardened steel shackles
- Anti-pull shackle heads
- 6/7 pin cylinder mechanism
- Anti-drill guard

	Product	5-7 mm	8-10 mm
Code		U1005	U1008
Body	Width	55	60
	Height	35	45
	Thickness	35	38
Shackle	Diam	7	9.5

EC Series 120 Armoured Double Slot Lock

Extra Heavy Duty



Combining the strength and high security levels of an armour plated, double-slot lock with a PVC coating to protect lock and paintwork. With steel ball locking and a rotating anti-drill guard over the cylinder. A unique and practical design for use with high quality security chains and locking bars. Ideal for vans, boats, motorcycles, trailers.

- Hardened steel casing & shackle
- PVC coated body
- Anti-pull shackle head
- Quality 5-pin cylinder
- Anti-drill guard

	Product	90 mm
Code		A1208
Body	Width	80
	Height	57
	Thickness	30
Shackle	Diam	10
	Width	11.5
	Height	10.5

EC Series 130 Solid Hardened Block Lock

Extra Heavy Duty



Machined from solid alloy steel, then hardened, this is one of the toughest locks available. A heavy nickel chrome plating provides corrosion resistance. Fitted with a special high security radial cylinder mechanism, this is a very high specification lock made to exacting standards.

- Hardened all over
- 12mm hardened steel shackle
- Special radial key cylinder
- Anti-drill guard
- Anti-pull shackle head

	Product	72 mm	87mm
Code		A1307	A1308
Body	Width	72	87
	Height	60	63
	Thickness	25	25
Shackle	Diam	12	12
	Width	30	36
	Height	14.5	16

EC Series 350 Solid Hardened Padlock

Extra Heavy Duty



One of the toughest locks available internationally - made by ABLOY. With a solid alloy steel hardened body, extra thick 14mm hardened boron-alloy shackle and unique rotating disc cylinder system. Specially designed for use in severe conditions. Gives highest protection against drilling, sawing, cutting, twisting and shimming.

- Solid, hardened alloy steel body
- 14mm hardened boron alloy shackle
- Unique 11 disc cylinder system
- Over 2 million key combinations
- High corrosion resistance

	Product	72 mm
Code		U350
Body	Width	72
	Height	58
	Thickness	30
Shackle	Diam	14
	Width	31
	Height	25

EC211 - Spiral Cable Lock



- Popular design easy to use
- Thick braided steel cable for cutting resistance
- Self-coiling with easy-fit carry bracket

Product Code	Dimensions Ø x L(mm)
SECC110	8 x 1000
SECC111	10 x 1000
SECC112	12 x 1000

EC214 - Steel Security Cables



- 1.8m length heavy duty cables with eyes
- Made from braided steel for greater flexibility
- With double loop design to maximise on length
- Combine with padlock for a good, multi-purpose security system

Product Code	Dimensions Ø(mm) x L(mm)
SECC141	10 x 1800
SECC142	12 x 1800
SECC143	15 x 1800

EC213 - Combination Cable Locks



- 4 digit combination lock
- Strong braided steel cable
- Self-coiling with mounting bracket

Product Code	Dimensions Ø x L(mm)
SECC131	10 x 1500
SECC132	12 x 1500

EC214A - Extra Long Steel Security Cables

Extra long heavy duty cables with double loops, as per EC214.

Length: 2 - 9metres

Product Code	Dimensions Ø(mm) x L(mm)
SECC144	12 x 2100
SECC145	12 x 4500
SECC146	12 x 9000

EC215 - Steel Cable & Shackle Locks



- Extra strong 15mm or 20mm steel braided cable
- 14mm steel shackle resists cutting and sawing
- Tubular cylinder mechanism for added security

- Ideal for securing to posts
- All vinyl coated with rotating dust cap on lock

Product Code	Dimensions Ø x L(mm)
SECC151	15 x 1500
SECC152	20 x 1500

EC212 - Heavy Duty Spiral Cable Locks



- Tubular cylinder lock with dust cap
- Heavy braided steel cable resists cutting
- Vinyl covered to protect paintwork
- Self-coiling with bracket

Product Code	Dimensions Ø x L(mm)
SECC121	10 x 1000
SECC122	12 x 1000

EC216 - U-Shackle Lock



- Popular, effective design
- 14mm hardened steel shackle resists cutting
- Tubular cylinder lock with dust cap
- Vinyl coated to protect paintwork
- With easy-fit carrying bracket

Product Code	Dimensions Ø x W x L(mm)
SECC161	14 x 180 x 245
SECC162	14 x 180 x 320

EC218 - Steel Locking Cable



- Strong 15mm braided steel in durable vinyl sleeve
- Flexible for easy use
- Integrated 7-pin tubular locking mechanism
- Weather resistant

Product Code	Dimensions Ø x L(mm)
SECC181	15 x 1000

EC221 - Hi-Grade U-Shackle Lock



- 14mm hardened steel shackle for cutting resistance
- Hi grade lock system with fitted dust cover
- Double locking with key retention
- Vinyl covered for paintwork protection
- With quick-fit carrying bracket

Product Code	Dimensions Ø x W x L(mm)
SECC165	14 x 166 x 245

EC219 - Heavy Steel Locking Cable



- An impressive 25mm thick cable helps make this a real deterrent
- Made from heavy duty braided steel
- Also with vinyl coating to protect cable and paintwork
- Cable slots into integral locking mechanism

Product Code	Dimensions Ø x L(mm)
SECC191	25 x 1200

EC217- Heavy Duty U-Shackle Lock



- 18mm hardened steel shackle for extra strength
- Tubular cylinder lock with rotating dust cap for added protection
- Paintwork protected due to heavy vinyl coating
- Ideal for the quick and easy securing of bikes to posts
- With carrying bracket for easy access and storage

Product Code	Dimensions Ø x W x L(mm)
SECC171	18 x 170 x 320

EC220 - Steel Joint Lock



- 22mm thick hardened steel shell with strong inner cable
- Highly flexible for easy use and transportability
- Tubular cylinder lock with dust cap for protection
- Complete with radial keys

Product Code	Dimensions Ø x L(mm)
SECC201	22 x 1200

IRONMONGERY


IRONMONGERY

A popular range of door and gate furniture comprising all the traditional products from hinges, catches and latches to heavier items such as hasps and staples and a selection of heavy duty bolts. Finishes include bright zinc plating, black epoxy powder coating and hot dipped galvanising for exterior use. Used in the DIY, building, agricultural and horticultural markets.


HINGES / HOOKS & BANDS



Tee Hinges



Straight Hooks & Bands




Cranked Hooks & Bands


HASPS & STAPLES




Wire Hasps & Staples



Safety Hasps & Staples




Heavy Hasps & Staples




Vertical Heavy Hasps & Staples

LATCHES / HOOKS / SPRINGS




Auto Gate Catches



Suffolk Latches



Antique Suffolk Latches



Plain Ring Gate Latches



Wire Cabin Hooks




Cast Cabin Hooks



Gate Return Springs


SECURITY BOLTS




Medium Brenton Padbolts



Oval Padbolts



Enclosed Tower Bolts




Enclosed Necked Tower Bolts




Bow Handle Bolts



Monkey Tail Bolts



Garage Door Bolts



Heavy Duty Garage Door Bolts



Foot Bolts



Chain Bolts

Light Tee Hinges

Product Code	Size
543 01	100mm (4")
543 02	150mm (6")
543 03	200mm (8")
543 04	250mm (10")
543 05	300mm (12")



Finish: zinc; black

Auto Gate Catches (Medium)

Product Code	Size
543 44	Medium

Finish: zinc; black



Straight Hooks and Bands

Product Code	Size
543 13	300mm (12")
543 14	350mm (14")
543 15	400mm (16")
543 16	450mm (18")
543 11	500mm (20")
543 17	600mm (24")




Finish: galvanised; black

Suffolk Latches

Product Code	Size
543 50	20/2

Finish: zinc; black



Cranked Hooks and Bands

Product Code	Size
543 24	300mm (12")
543 25	350mm (14")
543 26	400mm (16")
543 27	450mm (18")
543 29	500mm (20")
543 28	600mm (24")



Finish: galvanised; black

Antique Suffolk Latches

Product Code	Size
533 98	Standard

Finish: black



Plain Ring Gate Latches

Product Code	Size
543 57	Standard



Finish: black

Cast Cabin Hooks

Product Code	Size
543 70	102mm (4")
543 71	153mm (6")



Finish: black

Gate Return Springs

Product Code	Size
543 62	203mm (8")



Finish: black

Wire Hasp & Staple

Product Code	Size
533 02	76mm (3")
533 03	102mm (4")
533 06	153mm (6")



Finish: black

Safety Hasp & Staple

Product Code	Size
533 08	76mm (3")
533 07	102mm (4.5")
533 11	152mm (6")



Finish: black

Wire Cabin Hooks

Product Code	Size
753 73	102mm (4")
753 74	153mm (6")



Finish: black

Heavy Hasp & Staple

Product Code	Size
533 16	203mm (8")



Finish: black

Vertical Heavy Hasp & Staple

Product Code	Size
533 30	152mm (6")

Finish: *black*



Enclosed Tower Bolts

Product Code	Size
533 54	76mm (3")
533 55	102mm (4")
533 56	152mm (6")
533 57	203mm (8")
533 58	254mm (10")

Finish: *black body - zinc bolt*



Medium Brenton Padbolts (2A)

Product Code	Size
533 36	102mm (4")
533 37	152mm (6")
533 38	203mm (8")
533 39	254mm (10")

Finish: *zinc*



Enclosed Necked Tower Bolts

Product Code	Size
533 65	152mm (6")

Finish: *black body - zinc bolt*



Oval Padbolts (4A)

Product Code	Size
533 50	115mm

Finish: *zinc; black*



Bow Handle Bolts

Product Code	Size
533 71	381mm (15")
533 72	457mm (18")

Finish: *black body - zinc bolt*



Monkey Tail Bolts

Product Code	Size
533 76	305mm (12")
533 77	381mm (15")
533 78	457mm (18")

Finish: black body & zinc bolt



Foot Bolts

Product Code	Size
533 90	200mm (8")

Finish: black



Garage Door Bolts

Product Code	Size
533 82	305mm (12")
533 83	457mm (18")
533 84	610mm (24")

Finish: galvanised



Chain Bolts

Product Code	Size
533 86	200mm (8")

Finish: black body - zinc bolt



Heavy Garage Door Bolts

Product Code	Size
533 92	305mm (12")
533 94	457mm (18")
533 96	610mm (24")

Finish: galvanised



Snow Chains - Commercial



Select Super

Top-of the range drive-on chains for heavy and fully-loaded commercial vehicles.



- Hardened alloy steel chains for strength and wear
- Overlaid protection links to maximise handling, grip and control
- Square section links up to 8mm thick
- Diamond pattern over tread
- Simple, easy tensioning system
- Fully reversible
- Austrian  V 5117 accredited

Select Semplice

Suits any type of coach or lorry. Great for long distances.



- Drive on chains for trucks and coaches
- Hardened alloy steel chains for strength and wear
- 7mm square section links
- Diamond pattern over tread
- Simple, easy tensioning system
- Fully reversible
- Austrian  V 5117 accredited

TRAK Truck

Designed specifically for commercial vehicles, TRAK Truck uses a completely new, patented mounting system to provide a strong, very reliable alternative chain to the traditional drive-on chains.



- New, innovative fixing system using the wheel hub as a fixing point
- Chains are fitted to the outside of the drive wheels eliminating the need to hook up on the inside of the wheels
- Self-adjusting and self-tensioning; once fixed in place, no manual intervention is required
- Fully reversible and quick to dismantle
- Core-hardened, galvanised cross bars
-  accredited

MCX1 Offroad

The high-traction chain with a special hexagonal design on the tread. Ideal for moving soil, snow or ice by special off-road vehicles, snowploughs or diggers.



- For specialist offroad vehicles, snowploughs and earth-moving equipment
- Suitable for use on mud, snow and ice
- Made from reinforced rhomboid shaped square section chain links up to 10mm thick for high traction.
- With horizontal strengthening bars for optimum performance
- Links are made from manganese and boron steel which is core-hardened and galvanised for maximum life and wear.

Snowchains



Iceblok for Cars



High quality snowchains for cars giving superb grip and control on snow and ice covered roads.

Available from any **Halfords** store. There are 20 sizes of Iceblok - your tyre size dictates which size snowchain you need.

Certifications:



Features & Benefits

- Quick and easy to fit.
- Diamond pattern chains with pentagonal section links for maximum roadholding and braking performance.
- Hardened alloy steel chains for strength and wear resistance.
- Packed in a strong, space-saving case for easy storage.

Additional Information

- A minimum clearance of 10mm is required between the tyre and any other part of the vehicle.
- It is essential that you have the correct size snowchains for your tyres.
- Always practice fitting your snowchains at home before use.

Rapidmatic V5 for 4x4's, SUV's, vans, caravans



Heavy duty chains specifically designed to meet the demanding requirements of 4x4's, SUV's, vans and caravans. **Standard car chains are not suitable for these types of vehicle**

Available from any **Halfords** store. There are 12 sizes of Rapidmatic V5 - your tyre size dictates which size snowchain you need.

Certifications:



Features & Benefits

- Fast, easy fitting.
- Thicker (4.5mm) chain to cope with the demands of heavier and loaded vehicles.
- Provides high traction and control in difficult driving conditions.
- Reversible design for extended wear.
- Strong, compact case for easy storage.

Additional Information

- A minimum clearance of 16mm is required between the tyre and any other part of the vehicle.
- It is essential that you have the correct size snowchains for your tyres.
- On 4x4's chains are usually fitted to rear wheels but for maximum performance use 2 sets & fit a chain to each wheel.
- Always practice fitting your snowchains at home before use.